

**Dry Edible Beans: Area Planted and Harvested, Yield, and Production
by State and United States, 2005-2007 ¹**

State	Area Planted			Area Harvested		
	2005	2006	2007	2005	2006	2007
	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>
CA	66.0	67.0	59.0	65.0	65.0	58.0
CO	90.0	70.0	48.0	80.0	60.0	44.0
ID	100.0	105.0	90.0	98.0	103.0	89.0
KS	13.0	11.0	6.5	12.5	10.0	6.0
MI	235.0	225.0	200.0	230.0	215.0	195.0
MN	145.0	145.0	150.0	135.0	135.0	145.0
MT	18.0	19.5	18.5	14.1	18.6	17.8
NE	175.0	140.0	110.0	172.0	124.0	107.0
NM	6.3	8.2	7.5	6.3	8.2	7.5
NY	25.0	19.0	17.0	23.0	18.0	16.5
ND	620.0	670.0	690.0	565.0	640.0	665.0
OR	9.0	10.0	8.0	8.8	9.8	7.9
SD	17.5	21.5	12.5	17.4	19.0	12.2
TX	17.0	20.0	16.0	15.3	18.0	15.4
UT	4.5	3.0	1.4	4.5	0.5	1.3
WA	49.0	61.0	60.0	48.0	60.5	60.0
WI	5.7	5.6	6.1	5.7	5.5	6.0
WY	34.0	29.0	25.0	33.0	27.5	24.0
US	1,630.0	1,629.8	1,525.5	1,533.6	1,537.6	1,477.6
	Yield per Acre ²			Production ²		
	2005	2006	2007	2005	2006	2007
	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>1,000 Cwt</i>	<i>1,000 Cwt</i>	<i>1,000 Cwt</i>
CA	2,130	1,860	2,160	1,385	1,209	1,253
CO	1,650	1,900	1,600	1,320	1,140	704
ID	1,900	1,850	1,800	1,862	1,906	1,602
KS	2,200	2,100	2,100	275	210	126
MI	1,700	1,900	1,550	3,910	4,085	3,023
MN	1,800	1,650	1,800	2,430	2,228	2,610
MT	2,000	1,640	1,750	282	305	311
NE	2,250	2,200	2,280	3,870	2,728	2,440
NM	2,200	2,400	2,400	139	197	180
NY	1,230	1,330	930	282	239	153
ND	1,520	1,200	1,590	8,588	7,680	10,574
OR	2,000	1,940	1,850	176	190	146
SD	1,730	1,180	1,750	301	224	214
TX	1,520	1,320	1,500	233	238	231
UT	500	350	300	23	2	4
WA	1,650	1,600	1,700	792	968	1,020
WI	2,250	1,960	1,530	128	108	92
WY	2,350	2,150	2,300	776	590	552
US	1,746	1,577	1,708	26,772	24,247	25,235

¹ Excludes beans grown for garden seed.

² Clean Basis.

Dry Edible Beans: Area Planted and Harvested by Commercial Class, State, and Total, 2005-2007¹

Class and State	Area Planted			Area Harvested		
	2005	2006	2007	2005	2006	2007
	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>
Large Lima - CA	15.1	12.9	13.9	15.0	12.5	13.8
Baby Lima - CA	16.7	13.5	16.0	16.4	13.0	15.6
Navy						
ID	5.7	5.2	3.3	5.5	5.1	3.3
MI	75.5	80.0	61.0	74.5	77.5	59.5
MN	53.0	62.0	56.0	49.6	56.4	54.0
NE	4.2	3.1		3.9	2.7	
ND	90.0	120.0	96.0	82.0	113.0	89.0
OR	0.6	0.8	0.6	0.6	0.8	0.6
SD	5.5	7.5	3.9	5.4	6.4	3.8
WA	0.9	0.6		0.9	0.6	
WY	1.0	1.5	1.0	1.0	1.4	0.9
Total	236.4	280.7	221.8	223.4	263.9	211.1
Great Northern						
ID	2.1	2.7	2.0	2.1	2.6	2.0
MI	2.0	0.5		1.8	0.5	
NE	62.0	58.0	48.0	60.9	49.0	45.9
ND	4.2	7.5	8.0	4.0	6.5	7.7
WA	0.7			0.7		
WY	1.8	1.0	1.0	1.7	0.7	0.9
Total	72.8	69.7	59.0	71.2	59.3	56.5
Small White						
ID	1.1	1.2	0.4	1.1	1.2	0.4
OR	0.5	0.4		0.5	0.4	
WA	0.6	0.5		0.6	0.5	
Total	2.2	2.1	0.4	2.2	2.1	0.4
Pinto						
CO	77.0	59.0	37.0	69.0	50.0	34.0
ID	29.5	26.0	25.0	29.0	25.5	24.7
KS	13.0	11.0	6.5	12.5	10.0	6.0
MI	18.0	5.0	4.0	17.5	4.9	3.9
MN	23.0	16.0	22.0	21.1	15.3	21.0
MT	12.0	10.7	8.5	10.0	10.5	8.4
NE	85.0	64.3	48.0	83.6	59.5	47.4
NM	6.3	8.2	7.5	6.3	8.2	7.5
ND	475.0	453.0	502.0	432.0	435.0	487.0
OR	1.1	1.0	0.4	1.0	0.9	0.4
SD	3.0	2.4	1.9	3.0	2.1	1.9
UT	4.5	3.0	1.4	4.5	0.5	1.3
WA	8.4	6.3	8.3	8.3	6.2	8.3
WY	29.0	25.0	22.0	28.3	24.0	21.3
Total	784.8	690.9	694.5	726.1	652.6	673.1

¹ Missing data are included in "Other" class to avoid disclosure of individual operations or no data were reported.

Dry Edible Beans: Yield and Production by Commercial Class, State, and Total, 2005-2007 ¹

Class and State	Yield per Acre ²			Production ²		
	2005 <i>Pounds</i>	2006 <i>Pounds</i>	2007 <i>Pounds</i>	2005 <i>1,000 Cwt</i>	2006 <i>1,000 Cwt</i>	2007 <i>1,000 Cwt</i>
Large Lima - CA	2,390	1,910	2,320	359	239	320
Baby Lima - CA	2,350	2,340	2,290	385	304	357
Navy						
ID	2,470	2,470	2,670	136	126	88
MI	1,760	1,960	1,590	1,310	1,520	946
MN	1,950	1,650	1,850	967	930	1,000
NE	2,000	2,000		78	54	
ND	1,620	1,400	1,810	1,330	1,585	1,611
OR	2,300	1,650	2,200	14	13	13
SD	2,200	1,200	2,400	119	77	91
WA	2,050	2,170		18	13	
WY	2,300	2,500	2,400	23	35	22
Total	1,788	1,649	1,786	3,995	4,353	3,771
Great Northern						
ID	2,430	2,420	2,450	51	63	49
MI	1,660	2,000		30	10	
NE	2,270	2,100	2,160	1,382	1,030	993
ND	1,750	1,080	1,470	70	70	113
WA	2,200			15		
WY	2,180	2,430	2,200	37	17	20
Total	2,226	2,007	2,080	1,585	1,190	1,175
Small White						
ID	2,180	2,330	2,500	24	28	10
OR	1,800	1,990		9	8	
WA	2,300	2,000		14	10	
Total	2,136	2,190	2,500	47	46	10
Pinto						
CO	1,650	1,900	1,560	1,140	950	530
ID	2,270	2,500	2,510	658	638	620
KS	2,200	2,100	2,100	275	210	126
MI	1,600	1,900	1,490	280	93	58
MN	1,550	1,500	1,800	327	230	379
MT	2,390	2,230	2,450	239	234	206
NE	2,370	2,290	2,430	1,982	1,363	1,152
NM	2,200	2,400	2,400	139	197	180
ND	1,510	1,150	1,560	6,530	4,988	7,606
OR	2,000	2,250	2,500	20	20	10
SD	2,150	1,900	2,700	65	40	51
UT	500	350	300	23	2	4
WA	3,000	2,310	2,770	249	143	230
WY	2,380	2,130	2,300	674	510	490
Total	1,735	1,474	1,730	12,601	9,618	11,642

¹ Missing data are included in "Other" class to avoid disclosure of individual operations or no data were reported.

² Clean Basis.

Dry Edible Beans: Area Planted and Harvested by Commercial Class, State, and Total, 2005-2007¹

Class and State	Area Planted			Area Harvested		
	2005 <i>1,000 Acres</i>	2006 <i>1,000 Acres</i>	2007 <i>1,000 Acres</i>	2005 <i>1,000 Acres</i>	2006 <i>1,000 Acres</i>	2007 <i>1,000 Acres</i>
Light Red Kidney						
CA	3.5	1.9	1.5	3.5	1.9	1.5
CO	7.0	4.0	6.0	6.0	3.6	5.8
ID	2.0	1.6	1.3	2.0	1.6	1.3
MI	17.0	11.3	8.6	16.8	10.3	8.4
MN	10.3	9.0	11.0	9.9	8.5	10.5
NE	17.0	8.6	11.5	16.9	7.3	11.2
NY	13.0	7.0	7.5	12.2	6.6	7.3
OR	0.5			0.5		
WA	1.1			1.0		
Total	71.4	43.4	47.4	68.8	39.8	46.0
Dark Red Kidney						
CA	1.2	0.4	0.5	1.2	0.4	0.5
ID	1.8	1.8	0.9	1.8	1.8	0.9
MI	8.0	4.0	2.3	7.7	3.6	2.0
MN	36.5	31.0	27.0	34.7	29.3	26.5
NY	1.5	2.0	1.5	1.2	1.9	1.4
ND	4.0	2.0	1.5	3.8	1.9	1.4
OR	0.7	0.5	0.4	0.7	0.5	0.4
WA	1.3	1.5		1.2	1.5	
WI ²	5.7	5.6	6.1	5.7	5.5	6.0
Total	60.7	48.8	40.2	58.0	46.4	39.1
Pink						
CA	0.3	0.2		0.3	0.2	
ID	12.8	10.4	6.1	12.5	10.2	6.1
MN	8.5	10.5	8.8	8.0	9.7	8.4
ND	12.0	20.0	13.0	10.8	19.4	12.5
OR	0.3		0.5	0.3		0.5
WA	4.0	4.2	2.4	3.9	3.9	2.4
Total	37.9	45.3	30.8	35.8	43.4	29.9
Small Red						
ID	8.2	3.8	4.5	8.0	3.7	4.4
MI	31.0	20.0	16.0	30.5	19.5	15.5
MN	2.7	2.5	1.7	2.4	2.4	1.6
ND	5.5	6.0	5.5	5.2	5.7	5.3
WA	3.5	3.2	2.9	3.4	3.1	2.9
Total	50.9	35.5	30.6	49.5	34.4	29.7
Cranberry						
CA	1.1	0.8	0.6	1.1	0.8	0.6
ID	0.8	1.0	0.9	0.7	1.0	0.9
MI	10.5	8.0	6.9	9.5	7.9	6.8
Total	12.4	9.8	8.4	11.3	9.7	8.3

¹ Missing data are included in "Other" class to avoid disclosure of individual operations or no data were reported.

² Includes some Light Red Kidney to avoid disclosure of individual operations.

Dry Edible Beans: Yield and Production by Commercial Class, State, and Total, 2005-2007 ¹

Class and State	Yield per Acre ²			Production ²		
	2005 <i>Pounds</i>	2006 <i>Pounds</i>	2007 <i>Pounds</i>	2005 <i>1,000 Cwt</i>	2006 <i>1,000 Cwt</i>	2007 <i>1,000 Cwt</i>
Light Red						
Kidney						
CA	1,630	1,470	1,270	57	28	19
CO	1,830	1,750	2,190	110	63	127
ID	2,250	1,880	2,150	45	30	28
MI	1,430	1,700	1,200	240	175	101
MN	1,800	2,150	1,750	178	183	184
NE	1,800	2,400	2,170	304	175	243
NY	1,100	1,330	800	134	88	58
OR	2,200			11		
WA	2,350			24		
Total	1,603	1,864	1,652	1,103	742	760
Dark Red						
Kidney						
CA	1,830	2,250	1,000	22	9	5
ID	2,000	1,940	1,780	36	35	16
MI	1,430	1,170	900	110	42	18
MN	1,900	1,850	1,800	659	542	478
NY	830	780	1,000	10	15	14
ND	1,240	1,630	1,790	47	31	25
OR	1,860	2,200	2,030	13	11	8
WA	1,850	2,000		22	30	
WI ³	2,250	1,960	1,530	128	108	92
Total	1,805	1,774	1,678	1,047	823	656
Pink						
CA	1,000	1,500		3	3	
ID	2,240	2,400	2,430	280	245	148
MN	1,600	1,200	1,560	128	116	131
ND	1,510	1,430	1,870	163	277	234
OR	2,500		2,230	8		11
WA	2,050	2,310	2,210	80	90	53
Total	1,849	1,684	1,930	662	731	577
Small Red						
ID	2,410	2,460	2,360	193	91	104
MI	1,770	2,000	1,660	540	390	257
MN	1,210	1,330	1,880	29	32	30
ND	1,210	1,190	1,400	63	68	74
WA	2,300	2,190	2,590	78	68	75
Total	1,824	1,887	1,818	903	649	540
Cranberry						
CA	1,180	1,880	2,330	13	15	14
ID	1,290	1,900	2,000	9	19	18
MI	1,470	1,460	1,150	140	115	78
Total	1,434	1,536	1,325	162	149	110

¹ Missing data are included in "Other" class to avoid disclosure of individual operations or no data were reported.

² Clean Basis.

³ Includes some Light Red Kidney to avoid disclosure of individual operations.

**Dry Edible Beans: Area Planted and Harvested by Commercial
Class, State, and Total, 2005-2007 ¹**

Class and State	Area Planted			Area Harvested		
	2005	2006	2007	2005	2006	2007
	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>
Black						
CA	0.4	0.6	0.4	0.4	0.6	0.4
ID	2.5	2.8	2.4	2.4	2.8	2.3
MI	65.0	91.6	96.5	64.0	86.6	94.5
MN	9.4	12.3	22.0	8.0	11.8	21.6
NE	2.5	2.9		2.5	2.7	
NY	9.0	9.0	7.0	8.5	8.6	6.9
ND	21.0	46.0	45.0	19.5	44.0	43.5
OR	0.5		0.5	0.5		0.5
WA	1.3	2.2	1.9	1.3	2.2	1.9
Total	111.6	167.4	175.7	107.1	159.3	171.6
Blackeye						
CA	9.0	12.6	12.5	8.9	12.5	12.5
TX	14.0	18.8	14.4	12.6	16.9	13.9
Total	23.0	31.4	26.9	21.5	29.4	26.4
Small Chickpeas (Garbanzo, Smaller than 20/64 in.)						
CA						
ID	3.0	4.0	3.5	2.9	3.9	3.4
MT	1.4	2.4	1.0	1.3	1.9	0.9
NE						
ND	4.0	7.5	4.5	3.7	7.0	4.4
OR	0.5			0.5		
SD						
WA	1.6	3.5	1.5	1.5	3.5	1.5
Total	10.5	17.4	10.5	9.9	16.3	10.2
Large Chickpeas (Garbanzo, Larger than 20/64 in)						
CA	10.0	16.0	6.5	9.7	15.3	6.0
ID	28.0	40.0	38.0	27.6	39.3	37.6
MT	4.6	6.4	9.0	2.8	6.2	8.5
NE	1.1	1.1		1.1	1.0	
ND	2.1	5.5	12.5	2.0	5.2	12.4
OR	2.6	3.5	3.5	2.5	3.5	3.5
SD	6.4	9.4	5.5	6.4	8.6	5.3
WA	24.5	37.5	40.0	24.3	37.5	40.0
Total	79.3	119.4	115.0	76.4	116.6	113.3

¹ Missing data are included in "Other" class to avoid disclosure of individual operations or no data were reported.

Dry Edible Beans: Yield and Production by Commercial Class, State, and Total, 2005-2007 ¹

Class and State	Yield per Acre ²			Production ²		
	2005 <i>Pounds</i>	2006 <i>Pounds</i>	2007 <i>Pounds</i>	2005 <i>1,000 Cwt</i>	2006 <i>1,000 Cwt</i>	2007 <i>1,000 Cwt</i>
Black						
CA	1,750	1,670	2,000	7	10	8
ID	2,080	2,320	2,220	50	65	51
MI	1,770	1,930	1,600	1,130	1,670	1,510
MN	1,500	1,400	1,750	120	165	379
NE	2,400	2,110		60	57	
NY	1,510	1,470	1,000	128	126	69
ND	1,300	1,180	1,460	254	520	635
OR	2,400		2,320	12		12
WA	2,850	2,180	2,790	37	48	53
Total	1,679	1,670	1,583	1,798	2,661	2,717
Blackeye						
CA	2,210	2,420	2,240	197	303	280
TX	1,660	1,360	1,560	209	230	217
Total	1,888	1,813	1,883	406	533	497
Small Chickpeas (Garbanzo, Smaller than 20/64 in.)						
CA						
ID	1,240	1,130	970	36	44	33
MT	1,150	800	900	15	15	8
NE						
ND	1,700	690	1,390	63	48	61
OR	1,800			9		
SD						
WA	1,750	1,200	1,330	26	42	20
Total	1,505	914	1,196	149	149	122
Large Chickpeas (Garbanzo, Larger than 20/64 in)						
CA	2,270	1,290	2,000	220	198	120
ID	1,060	1,100	1,060	293	432	399
MT	1,000	900	1,140	28	56	97
NE	700	900		8	9	
ND	2,000	1,210	1,500	40	63	186
OR	1,840	1,830	1,370	46	64	48
SD	1,100	850	850	70	73	45
WA	850	1,320	1,300	207	495	520
Total	1,194	1,192	1,249	912	1,390	1,415

¹ Missing data are included in "Other" class to avoid disclosure of individual operations or no data were reported.

² Clean Basis.

**Dry Edible Beans: Area Planted and Harvested by Commercial
Class, State, and Total, 2005-2007**¹

Class and State	Area Planted			Area Harvested		
	2005 <i>1,000 Acres</i>	2006 <i>1,000 Acres</i>	2007 <i>1,000 Acres</i>	2005 <i>1,000 Acres</i>	2006 <i>1,000 Acres</i>	2007 <i>1,000 Acres</i>
Chickpeas, All (Garbanzo)						
CA	10.0	16.0	6.5	9.7	15.3	6.0
ID	31.0	44.0	41.5	30.5	43.2	41.0
MT	6.0	8.8	10.0	4.1	8.1	9.4
NE	1.1	1.1		1.1	1.0	
ND	6.1	13.0	17.0	5.7	12.2	16.8
OR	3.1	3.5	3.5	3.0	3.5	3.5
SD	6.4	9.4	5.5	6.4	8.6	5.3
WA	26.1	41.0	41.5	25.8	41.0	41.5
Total	89.8	136.8	125.5	86.3	132.9	123.5
Other						
CA	8.7	8.1	7.1	8.5	7.8	7.1
CO	6.0	7.0	5.0	5.0	6.4	4.2
ID	2.5	4.5	1.7	2.4	4.3	1.7
MI	8.0	4.6	4.7	7.7	4.2	4.4
MN	1.6	1.7	1.5	1.3	1.6	1.4
NE	3.2	2.0	2.5	3.1	1.8	2.5
NY	1.5	1.0	1.0	1.1	0.9	0.9
ND	2.2	2.5	2.0	2.0	2.3	1.8
OR	1.7	3.8	2.1	1.7	3.7	2.0
SD	2.6	2.2	1.2	2.6	1.9	1.2
TX	3.0	1.2	1.6	2.7	1.1	1.5
WA	1.1	1.5	3.0	0.9	1.5	3.0
WY	2.2	1.5	1.0	2.0	1.4	0.9
Total	44.3	41.6	34.4	41.0	38.9	32.6

¹ Missing data are included in "Other" class to avoid disclosure of individual operations or no data were reported.

Dry Edible Beans: Yield and Production by Commercial Class, State, and Total, 2005-2007¹

Class and State	Yield per Acre ²			Production ²		
	2005 <i>Pounds</i>	2006 <i>Pounds</i>	2007 <i>Pounds</i>	2005 <i>1,000 Cwt</i>	2006 <i>1,000 Cwt</i>	2007 <i>1,000 Cwt</i>
Chickpeas, All (Garbanzo)						
CA	2,270	1,290	2,000	220	198	120
ID	1,080	1,100	1,050	329	476	432
MT	1,050	880	1,120	43	71	105
NE	700	900		8	9	
ND	1,810	910	1,470	103	111	247
OR	1,830	1,830	1,370	55	64	48
SD	1,100	850	850	70	73	45
WA	900	1,310	1,300	233	537	540
Total	1,229	1,158	1,245	1,061	1,539	1,537
Other						
CA	1,440	1,280	1,830	122	100	130
CO	1,400	1,980	1,120	70	127	47
ID	2,130	2,090	2,240	51	90	38
MI	1,690	1,670	1,250	130	70	55
MN	1,690	1,880	2,070	22	30	29
NE	1,800	2,220	2,080	56	40	52
NY	910	1,100	1,330	10	10	12
ND	1,400	1,300	1,610	28	30	29
OR	2,000	2,000	2,200	34	74	44
SD	1,810	1,800	2,250	47	34	27
TX	900	690	930	24	8	14
WA	2,440	1,935	2,300	22	29	69
WY	2,100	2,000	2,200	42	28	20
Total	1,605	1,722	1,736	658	670	566

¹ Missing data are included in "Other" class to avoid disclosure of individual operations or no data were reported.

² Clean Basis.